

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	746	(continuity with (indicator test\$3)) and dielectric	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 15:45
L2	220	1 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 11:39
L3	39	"324"/\$.ccls. and (continuity with (indicator test\$3)) same dielectric	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 11:53
L4	1	"4155036".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 11:53
L5	362	(continuity with (indicator test\$3)) and (dielectric near3 (body harness attachment connector material))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 12:22
L6	107	5 and ("324"/\$.ccls. or "62"/\$.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 13:59
L7	1311	(continuity with (indicator test\$3)) with (component\$1 device\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 13:59
L8	598	7 and ("324"/\$.ccls. or "62"/\$.ccls. or "703"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 14:15
L9	1	"6559673".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 14:15
L10	5	("3772595"   "3922537"   "5483173"   "5741606"   "6275058").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:38
L11	137	8 and LED	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:42
L12	3	(impedance with rating with LED)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:43
L13	18	(impedance with rating with (light\$1 LED))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:43

L14	41	(impedance with rating with (light\$1 lamp\$1 LED))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:45
L15	148	(LED with (impedance resistance) with intensity)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/10 15:45
L16	1	15 and (continuity with (indicator test\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 15:59
L17	52	(continuity with (indicator test\$3)) and ((power near2 indicat\$4) with voltage)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 16:00
L18	48	(continuity with (indicator test\$3)) and (power with (indicat\$4 near2 voltage))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 16:19
L19	1	"6441637".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 17:27
L20	3	("6496015" "6373255" "4799019").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 17:27
S1	29	(continuity with (indicator test\$3)) and 324/511.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 09:17
S2	224	324/511.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/06 16:42
S3	0	S1 and refrigerat\$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/06 17:38
S4	58	(continuity with (indicator test\$3)) and refrigerat\$4	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 11:39
S5	2	S4 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/06 17:38
S6	1	"6867601".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/06 18:18

S7	1	"4799019".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 09:24
S8	1	"6867601".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/05/10 09:24